

**Important Disclaimer Information:**

The following compatibility/interoperability information provided by Hitachi Data Systems should be used as a reference guide only, because hardware and software levels and releases may vary and numerous hardware and software combinations are possible. Hitachi Data Systems makes no representation or guarantee regarding the compatibility of specific hardware or software products.

This information is provided "AS IS" without warranty of any kind, including any warranty of merchandising or fitness for a particular purpose.

**OS:** Linux AS 4.0 UP4 Red Hat, IA64, 2.6.9-42,

**HBA:** Emulex LP11000 v8.0.16.32

**Switch Vendor:** Cisco

OS Vendor	OS Name	OS Version	OS Architecture	HBA Vendor	HBA Model	HBA Driver	Switch Vendor	Switch Model	Switch Firmware	Storage Mcode Version	Storage Interface Type	Storage Interface Speed	Server Vendor	Server Model	Comments
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11000	v8.0.16.32	Cisco	MDS 9124	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11000	v8.0.16.32	Cisco	MDS 9216a (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11000	v8.0.16.32	Cisco	MDS 9216i (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11000	v8.0.16.32	Cisco	MDS 9506 (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11000	v8.0.16.32	Cisco	MDS 9509 (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11000	v8.0.16.32	Cisco	MDS 9513	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	

**HBA:** Emulex LP11002 v8.0.16.32

**Switch Vendor:** Cisco

OS Vendor	OS Name	OS Version	OS Architecture	HBA Vendor	HBA Model	HBA Driver	Switch Vendor	Switch Model	Switch Firmware	Storage Mcode Version	Storage Interface Type	Storage Interface Speed	Server Vendor	Server Model	Comments
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11002	v8.0.16.32	Cisco	MDS 9124	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11002	v8.0.16.32	Cisco	MDS 9216a (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11002	v8.0.16.32	Cisco	MDS 9216i (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11002	v8.0.16.32	Cisco	MDS 9506 (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11002	v8.0.16.32	Cisco	MDS 9509 (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11002	v8.0.16.32	Cisco	MDS 9513	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	

**HBA:** Emulex LP1150 v8.0.16.32

**Switch Vendor:** Cisco

OS Vendor	OS Name	OS Version	OS Architecture	HBA Vendor	HBA Model	HBA Driver	Switch Vendor	Switch Model	Switch Firmware	Storage Mcode Version	Storage Interface Type	Storage Interface Speed	Server Vendor	Server Model	Comments
Red Hat	Linux	AS 4.0	IA64	Emulex	LP1150	v8.0.16.32	Cisco	MDS 9124	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP1150	v8.0.16.32	Cisco	MDS 9216a (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP1150	v8.0.16.32	Cisco	MDS 9216i (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP1150	v8.0.16.32	Cisco	MDS 9506 (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP1150	v8.0.16.32	Cisco	MDS 9509 (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP1150	v8.0.16.32	Cisco	MDS 9513	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	

**HBA:** HP FCA2143 v8.0.16.32

**Switch Vendor:** Cisco

OS Vendor	OS Name	OS Version	OS Architecture	HBA Vendor	HBA Model	HBA Driver	Switch Vendor	Switch Model	Switch Firmware	Storage Mcode Version	Storage Interface Type	Storage Interface Speed	Server Vendor	Server Model	Comments
Red Hat	Linux	AS 4.0	IA64	HP	FCA2143	v8.0.16.32	Cisco	MDS 9124	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	HP	FCA2143	v8.0.16.32	Cisco	MDS 9216a (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	HP	FCA2143	v8.0.16.32	Cisco	MDS 9216i (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	HP	FCA2143	v8.0.16.32	Cisco	MDS 9506 (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	HP	FCA2143	v8.0.16.32	Cisco	MDS 9509 (4G)	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	
Red Hat	Linux	AS 4.0	IA64	HP	FCA2143	v8.0.16.32	Cisco	MDS 9513	v3.1(4)	0773/D	Fibre channel	4 Gbps	HP	rx2660	

**OS:** Linux AS 4.0 UP5 Red Hat, IA64, 2.6.9-55,

**HBA:** HP 403619-B21 v8.01.06.01

**Switch Vendor:** HP

OS Vendor	OS Name	OS Version	OS Architecture	HBA Vendor	HBA Model	HBA Driver	Switch Vendor	Switch Model	Switch Firmware	Storage Mcode Version	Storage Interface Type	Storage Interface Speed	Server Vendor	Server Model	Comments
Red Hat	Linux	AS 4.0	IA64	HP	403619-B21	v8.01.06.01	HP	409513-B21 (Brocade 200e)	v1.10	0760/B	Fibre channel	4 Gbps	HP	BL860C	409513-B21-Brocade 200e(v5.3.0b)
Red Hat	Linux	AS 4.0	IA64	HP	403619-B21	v8.01.06.01	HP	409513-B21 (Brocade 3900)	v1.10	0760/B	Fibre channel	4 Gbps	HP	BL860C	409513-B21-Brocade 3900(v5.3.0b)
Red Hat	Linux	AS 4.0	IA64	HP	403619-B21	v8.01.06.01	HP	409513-B21 (Brocade 5000)	v1.10	0760/B	Fibre channel	4 Gbps	HP	BL860C	409513-B21-Brocade 5000(v5.3.0b)
Red Hat	Linux	AS 4.0	IA64	HP	403619-B21	v8.01.06.01	HP	409513-B21 (McDATA 4400)	v1.10	0752/A	Fibre channel	4 Gbps	HP	BL860C	409513-B21-McDATA 4400(v9.03.00)
Red Hat	Linux	AS 4.0	IA64	HP	403619-B21	v8.01.06.01	HP	409513-B21 (McDATA 4500)	v1.10	0752/A	Fibre channel	4 Gbps	HP	BL860C	409513-B21-McDATA 4500(v9.03.00)
Red Hat	Linux	AS 4.0	IA64	HP	403619-B21	v8.01.06.01	HP	409513-B21 (McDATA 4700)	v1.10	0752/A	Fibre channel	4 Gbps	HP	BL860C	409513-B21-McDATA 4700(v9.03.00)
Red Hat	Linux	AS 4.0	IA64	HP	403619-B21	v8.01.06.01	HP	409513-B21 (McDATA 6140)	v1.10	0752/A	Fibre channel	4 Gbps	HP	BL860C	409513-B21-McDATA 6140(v9.03.00)
Red Hat	Linux	AS 4.0	IA64	HP	403619-B21	v8.01.06.01	HP	409513-B21 (McDATA 6140 (4G))	v1.10	0752/A	Fibre channel	4 Gbps	HP	BL860C	409513-B21-McDATA 6140 (4G)(v9.03.00)

**OS:** Linux AS 4.0 UP8 Red Hat, IA64, 2.6.9-89,

**HBA:** Emulex LP11000 v8.0.16.46

**Switch Vendor:** Cisco

OS Vendor	OS Name	OS Version	OS Architecture	HBA Vendor	HBA Model	HBA Driver	Switch Vendor	Switch Model	Switch Firmware	Storage Mcode Version	Storage Interface Type	Storage Interface Speed	Server Vendor	Server Model	Comments
-----------	---------	------------	-----------------	------------	-----------	------------	---------------	--------------	-----------------	-----------------------	------------------------	-------------------------	---------------	--------------	----------

All Models of AMS-WMS For Linux IA64

Last Refreshed On: 4/20/12 7:08 AM

Switch Vendor: Cisco

OS Vendor	OS Name	OS Version	OS Architecture	HBA Vendor	HBA Model	HBA Driver	Switch Vendor	Switch Model	Switch Firmware	Storage Mcode Version	Storage Interface Type	Storage Interface Speed	Server Vendor	Server Model	Comments
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11000	v8.0.16.46	Cisco	MDS 9124	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11000	v8.0.16.46	Cisco	MDS 9134	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11000	v8.0.16.46	Cisco	MDS 9216a (4G)	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11000	v8.0.16.46	Cisco	MDS 9216i (4G)	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11000	v8.0.16.46	Cisco	MDS 9222i	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11000	v8.0.16.46	Cisco	MDS 9506 (4G)	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11000	v8.0.16.46	Cisco	MDS 9509 (4G)	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	
Red Hat	Linux	AS 4.0	IA64	Emulex	LP11000	v8.0.16.46	Cisco	MDS 9513	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	

HBA: Emulex LPe11000 v8.0.16.46

Switch Vendor: Cisco

OS Vendor	OS Name	OS Version	OS Architecture	HBA Vendor	HBA Model	HBA Driver	Switch Vendor	Switch Model	Switch Firmware	Storage Mcode Version	Storage Interface Type	Storage Interface Speed	Server Vendor	Server Model	Comments
Red Hat	Linux	AS 4.0	IA64	Emulex	LPe11000	v8.0.16.46	Cisco	MDS 9124	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	
Red Hat	Linux	AS 4.0	IA64	Emulex	LPe11000	v8.0.16.46	Cisco	MDS 9134	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	
Red Hat	Linux	AS 4.0	IA64	Emulex	LPe11000	v8.0.16.46	Cisco	MDS 9216a (4G)	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	
Red Hat	Linux	AS 4.0	IA64	Emulex	LPe11000	v8.0.16.46	Cisco	MDS 9216i (4G)	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	
Red Hat	Linux	AS 4.0	IA64	Emulex	LPe11000	v8.0.16.46	Cisco	MDS 9222i	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	
Red Hat	Linux	AS 4.0	IA64	Emulex	LPe11000	v8.0.16.46	Cisco	MDS 9506 (4G)	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	
Red Hat	Linux	AS 4.0	IA64	Emulex	LPe11000	v8.0.16.46	Cisco	MDS 9509 (4G)	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	
Red Hat	Linux	AS 4.0	IA64	Emulex	LPe11000	v8.0.16.46	Cisco	MDS 9513	v4.2(1a)	0786/E-S	Fibre channel	4 Gbps	Generic	Generic	

OS: Linux AS 5.0 UP2 Red Hat, IA64, 2.6.18-92.1.6.

HBA: Emulex LPe11000 v8.2.0.22

Switch Vendor: Not Applicable

OS Vendor	OS Name	OS Version	OS Architecture	HBA Vendor	HBA Model	HBA Driver	Switch Vendor	Switch Model	Switch Firmware	Storage Mcode Version	Storage Interface Type	Storage Interface Speed	Server Vendor	Server Model	Comments
Red Hat	Linux	AS 5.0	IA64	Emulex	LPe11000	v8.2.0.22	-	-	-	0775/A	Fibre channel	4 Gbps	Generic	Generic	

OS: Linux ES 10.0 SP2 SuSE, IA64, 2.6.16.60-0.21.

HBA: Emulex LP10000DC v8.2.0.22

Switch Vendor: Brocade

OS Vendor	OS Name	OS Version	OS Architecture	HBA Vendor	HBA Model	HBA Driver	Switch Vendor	Switch Model	Switch Firmware	Storage Mcode Version	Storage Interface Type	Storage Interface Speed	Server Vendor	Server Model	Comments
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000DC	v8.2.0.22	Brocade	300	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000DC	v8.2.0.22	Brocade	5000	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000DC	v8.2.0.22	Brocade	5100	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000DC	v8.2.0.22	Brocade	5300	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000DC	v8.2.0.22	Brocade	DCX	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000DC	v8.2.0.22	Brocade	DCX-4S	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000DC	v8.2.0.22	Brocade	SilkWorm 4100	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000DC	v8.2.0.22	Brocade	SilkWorm 48000	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000DC	v8.2.0.22	Brocade	SilkWorm 4900	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000DC	v8.2.0.22	Brocade	SilkWorm 7500	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	

HBA: Emulex LP10000EXDC v8.2.0.22

Switch Vendor: Brocade

OS Vendor	OS Name	OS Version	OS Architecture	HBA Vendor	HBA Model	HBA Driver	Switch Vendor	Switch Model	Switch Firmware	Storage Mcode Version	Storage Interface Type	Storage Interface Speed	Server Vendor	Server Model	Comments
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000EXDC	v8.2.0.22	Brocade	300	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000EXDC	v8.2.0.22	Brocade	5000	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000EXDC	v8.2.0.22	Brocade	5100	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000EXDC	v8.2.0.22	Brocade	5300	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000EXDC	v8.2.0.22	Brocade	DCX	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000EXDC	v8.2.0.22	Brocade	DCX-4S	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000EXDC	v8.2.0.22	Brocade	SilkWorm 4100	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000EXDC	v8.2.0.22	Brocade	SilkWorm 48000	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000EXDC	v8.2.0.22	Brocade	SilkWorm 4900	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000EXDC	v8.2.0.22	Brocade	SilkWorm 7500	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	

HBA: Emulex LP10000 v8.2.0.22

Switch Vendor: Brocade

OS Vendor	OS Name	OS Version	OS Architecture	HBA Vendor	HBA Model	HBA Driver	Switch Vendor	Switch Model	Switch Firmware	Storage Mcode Version	Storage Interface Type	Storage Interface Speed	Server Vendor	Server Model	Comments
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000	v8.2.0.22	Brocade	300	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	
SuSE	Linux	ES 10.0	IA64	Emulex	LP10000	v8.2.0.22	Brocade	5000	v6.2.2a	0781/A-M	Fibre channel	4 Gbps	Generic	Generic	







All Models of AMS-WMS For Linux IA64

Last Refreshed On: 4/20/12 7:08 AM

Switch Vendor: HP

OS Vendor	OS Name	OS Version	OS Architecture	HBA Vendor	HBA Model	HBA Driver	Switch Vendor	Switch Model	Switch Firmware	Storage Mcode Version	Storage Interface Type	Storage Interface Speed	Server Vendor	Server Model	Comments
SuSE	Linux	ES 9.0	IA64	HP	403619-B21	v8.01.06.01	HP	409513-B21 (McDATA 4400)	v1.10	0752/A	Fibre channel	4 Gbps	HP	BL860C	409513-B21-McDATA 4400(v9.03.00)
SuSE	Linux	ES 9.0	IA64	HP	403619-B21	v8.01.06.01	HP	409513-B21 (McDATA 4500)	v1.10	0752/A	Fibre channel	4 Gbps	HP	BL860C	409513-B21-McDATA 4500(v9.03.00)
SuSE	Linux	ES 9.0	IA64	HP	403619-B21	v8.01.06.01	HP	409513-B21 (McDATA 4700)	v1.10	0752/A	Fibre channel	4 Gbps	HP	BL860C	409513-B21-McDATA 4700(v9.03.00)
SuSE	Linux	ES 9.0	IA64	HP	403619-B21	v8.01.06.01	HP	409513-B21 (McDATA 6140)	v1.10	0752/A	Fibre channel	4 Gbps	HP	BL860C	409513-B21-McDATA 6140(v9.03.00)
SuSE	Linux	ES 9.0	IA64	HP	403619-B21	v8.01.06.01	HP	409513-B21 (McDATA 6140 (4G))	v1.10	0752/A	Fibre channel	4 Gbps	HP	BL860C	409513-B21-McDATA 6140 (4G)(v9.03.00)