

The following compatibility/interoperability information provided by Hitachi Data Systems should be used as a reference guide only, because hardware and software levels and releases may vary, and numerous hardware and software combinations are possible. Hitachi Data Systems makes no representation or guarantee regarding the compatibility of specific hardware or software products.

This information is provided "AS IS" without warranty of any kind, including any warranty of merchandising or fitness for a particular purpose.

Cells highlighted in light blue are new entries.

Storage System	Function	Switch Model	Switch F/W	Extender Model	Extender F/W	Configuration	Note
AMS 2000	TrueCopy/TCED	Any	Any	ADVA FSP2000 DWDM	Any GA FW	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	ADVA FSP3000 DWDM	Any GA FW	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Alcatel 1696 DWDM	Any GA FW	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Brocade(McDATA) GigaMux	Any GA FW	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Brocade(McDATA) Passive Fiber Bandwidth Multiplier	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Brocade(McDATA) Spectrum2000	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Brocade(McDATA) Ultraset Wave Multiplexer 7600	Any GA FW	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Ciena CN4200 DWDM	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Cisco ONS 15252, 15454, 15530, 15540	Any GA FW	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Ericsson ERION Metro	Any GA FW	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9124, 9134, 9216i, 9222i, 9513	Any	F5 BIG-IP 3900, 6900, 8900	Any GA FW		Please check the SAN switch and F5's support matrices to ensure they both support the F5 appliance connected to the SAN switch.
AMS 2000	TrueCopy/TCED	Any	Any	Hitachi AMN6200	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Hitachi COM AMN601A	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Hitachi COM AMN601GF	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Huawei Metro 6100 DWDM	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Huawei OSN 3800	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Huawei OSN 6800	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Huawei OSN 8800	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	LuxN WS3234	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Meriton 3300 OSM DWDM	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Movaz RAYexpress	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	MRV LD1600	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	NEC LE4100	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Nortel 5200	Any GA FW	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Nortel 6500	Any GA FW	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9124, 9134, 9216i, 9222i, 9513	Any	Riverbed 5050, 6020, 6050, 7050	Any GA FW		Please check the SAN switch and Riverbed's support matrices to ensure they both support the Riverbed appliance connected to the SAN switch.
AMS 2000	TrueCopy/TCED	Any	Any	Siemens hiT 7300	Any GA FW	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	Silver Peak NX-2000, NX-3000, NX-5000, NX-7000, NX-8000, NX-9000	Any GA FW		Please check the SAN switch and Silver Peak's support matrices to ensure they both support the Silver Peak appliance connected to the SAN switch when using FCIP. TrueCopy over iSCSI is also supported with the Silver Peak appliance.
AMS 2000	TrueCopy/TCED	Any	Any	Tellabs 7110	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	Any	Any	ZTE ZXMP M820/M720	latest	Config 12 or 13	
AMS 2000	TrueCopy/TCED	None	Not Applicable	Brocade Edge 3000	v3.2.1.5.1	Config.12	
AMS 2000	TrueCopy/TCED	None	Not Applicable	Brocade 7800	v6.3.0b	Config.12	
AMS 2000	TrueCopy/TCED	None	Not Applicable	Cisco Catalyst 3750	latest	Config.12	
AMS 2000	TrueCopy/TCED	None	Not Applicable	McDATA Eclipse 1620	v4.07	Config.12	
AMS 2000	TrueCopy/TCED	None	Not Applicable	McDATA Eclipse 1620	v4.07.04	Config.12	
AMS 2000	TrueCopy/TCED	None	Not Applicable	McDATA Eclipse 2640	v5.1.3	Config.12	
AMS 2000	TrueCopy/TCED	Brocade 200e	v5.2.1	Not Applicable	Not Applicable	Config.11	
AMS 2000	TrueCopy/TCED	Brocade 200e	v5.3.0d	McDATA Eclipse 2640	v5.1.3	Config.13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.2.0g	Brocade Edge 3000	v3.2.1.5.1	Config.13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.2.1b	Brocade FC8-16, FC8-32, FC8-48 blade	v6.2.1b	Config.13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.2.2b	Brocade 7800	v6.4.0.	Config.13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.3.0b	Brocade 7800	v6.3.0b	Config. 13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.3.1a	QLogic SANbox 6142	v2.4.4.3	Config.13	FCIP only, no iSCSI support for TrueCopy.

The following compatibility/interoperability information provided by Hitachi Data Systems should be used as a reference guide only, because hardware and software levels and releases may vary, and numerous hardware and software combinations are possible. Hitachi Data Systems makes no representation or guarantee regarding the compatibility of specific hardware or software products.

This information is provided "AS IS" without warranty of any kind, including any warranty of merchandising or fitness for a particular purpose.

Cells highlighted in light blue are new entries.

Storage System	Function	Switch Model	Switch F/W	Extender Model	Extender F/W	Configuration	Note
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.3.2	Not Applicable	Not Applicable	Config.11	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.4.0a	Not Applicable	Not Applicable	Config.11	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.4.0a	Brocade 7800	v6.4.0a	Config. 13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.4.0c	Brocade 7800	v6.4.0c	Config. 13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.4.1	Not Applicable	Not Applicable	Config.11	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.4.1	Brocade 7800	v6.4.1	Config. 13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.4.1b	Brocade 7800	v6.4.1b	Config. 13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.4.1b	QLogic SANbox 6142	v2.4.4.3	Config.13	FCIP only, no iSCSI support for TrueCopy.
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.4.2	Brocade 7800	v6.4.2	Config. 13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.4.2a	Not Applicable	Not Applicable	Config.11	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.4.2a	Brocade 7800	v6.4.2a	Config. 13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v6.4.2b	Brocade 7800	v6.4.2b	Config. 13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v7.0.0	Brocade 7800	v7.0.0	Config. 13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v7.0.0a	Brocade 7800	v7.0.0a	Config. 13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v7.0.0b	Brocade 7800	v7.0.0b	Config. 13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v7.0.0c	Brocade 7800	v7.0.0c	Config. 13	
AMS 2000	TrueCopy/TCED	Brocade 300, 5100, 5300, 7800, DCX, DCX-4S	v7.0.1	Brocade 7800	v7.0.1	Config. 13	
AMS 2000	TrueCopy/TCED	Brocade 4100, 4120, 4140, 4900, 48000, 7500	v5.2.1	Not Applicable	Not Applicable	Config.11	
AMS 2000	TrueCopy/TCED	Brocade 4100, 4120, 4140, 4900, 48000, 7500	v5.3.0d	McDATA Eclipse 2640	v5.1.3	Config.13	
AMS 2000	TrueCopy/TCED	Brocade 4100, 4120, 4140, 4900, 48000, 7500	v6.1.0d	QLogic SANbox 6142	v2.4.3.5	Config.13	FCIP only, no iSCSI support for TrueCopy.
AMS 2000	TrueCopy/TCED	Brocade 4100, 4120, 4140, 4900, 48000, 7500	v6.3.1a	Brocade 7500	v6.3.1a	Config.13	
AMS 2000	TrueCopy/TCED	Brocade 4100, 4120, 4140, 4900, 48000, 7500	v6.3.2	Not Applicable	Not Applicable	Config.11	
AMS 2000	TrueCopy/TCED	Cisco MDS 9148, 9222i (8G), 9506 (8G) 9509 (8G) 9513 (8G)	v4.2(7e)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9148, 9222i (8G), 9506 (8G) 9509 (8G) 9513 (8G)	v5.0(1a)	Not Applicable	Not Applicable	Config.11	
AMS 2000	TrueCopy/TCED	Cisco MDS 9148, 9222i (8G), 9506 (8G) 9509 (8G) 9513 (8G)	v5.0(4c)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9148, 9222i (8G), 9506 (8G) 9509 (8G) 9513 (8G)	v5.0(4d)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9148, 9222i (8G), 9506 (8G) 9509 (8G) 9513 (8G)	v5.0(7)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9148, 9222i (8G), 9506 (8G) 9509 (8G) 9513 (8G)	v5.2(1)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9148, 9222i (8G), 9506 (8G) 9509 (8G) 9513 (8G)	v5.2(2)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9148, 9222i (8G), 9506 (8G) 9509 (8G) 9513 (8G)	v5.2(2a)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9506, 9509, 9120, 9140, 9216, 9216i	v3.1(3a)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9506, 9509, 9120, 9140, 9216, 9216i	v3.2(2c)	Cisco FCIP Blade	Bundled	Config.13	

The following compatibility/interoperability information provided by Hitachi Data Systems should be used as a reference guide only, because hardware and software levels and releases may vary, and numerous hardware and software combinations are possible. Hitachi Data Systems makes no representation or guarantee regarding the compatibility of specific hardware or software products.


This information is provided "AS IS" without warranty of any kind, including any warranty of merchandising or fitness for a particular purpose.

Cells highlighted in light blue are new entries.


Storage System	Function	Switch Model	Switch F/W	Extender Model	Extender F/W	Configuration	Note
AMS 2000	TrueCopy/TCED	Cisco MDS 9506, 9509, 9120, 9140, 9216, 9216i	v3.2(3)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9506, 9509, 9120, 9140, 9216, 9216i	v3.3(1a)	Not Applicable	Not Applicable	Config.11	
AMS 2000	TrueCopy/TCED	Cisco MDS 9506, 9509, 9120, 9140, 9216, 9216i	v3.3(1a)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9506, 9509, 9120, 9140, 9216, 9216i	v3.3(1c)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9506, 9509, 9120, 9140, 9216, 9216i	v3.3(3)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9506, 9509, 9120, 9140, 9216, 9216i	v3.3(4)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9506, 9509, 9120, 9140, 9216, 9216i	v4.2(5)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9506, 9509, 9120, 9140, 9216, 9216i	v4.2(7)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9506, 9509, 9120, 9140, 9216, 9216i	v4.2(7b)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9506, 9509, 9120, 9140, 9216, 9216i	v4.2(7e)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v3.2(3a)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v3.3(1a)	McDATA Eclipse 1620	v5.1.3	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v3.3(1c)	McDATA Eclipse 1620	v5.1.3	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v3.3(3)	McDATA Eclipse 1620	v5.1.3	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v3.3(4)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v4.2(3)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v4.2(5)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v4.2(7)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v4.2(7b)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v4.2(7e)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v5.0(4c)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v5.0(4d)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v5.0(7)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v5.2(1)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v5.2(2)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	Cisco MDS 9513, 9124, 9222i, 9134	v5.2(2a)	Cisco FCIP Blade	Bundled	Config.13	
AMS 2000	TrueCopy/TCED	QLogic 1400	v5.0.1.10	QLogic SANbox 6142	v2.4.4.3	Config.13	FCIP only, no iSCSI support for TrueCopy.
AMS 2000	TrueCopy/TCED	QLogic 5600	v7.4.0.06	QLogic SANbox 6142	v2.4.3.3	Config.13	FCIP only, no iSCSI support for TrueCopy.
AMS 2000	TrueCopy/TCED	QLogic 5600	v7.4.0.16	QLogic iSR6250	v3.2.3.1	Config.13	FCIP only, no iSCSI support for TrueCopy.
AMS 2000	TrueCopy/TCED	QLogic 5800	v7.4.0.16	QLogic iSR6250	v3.2.3.1	Config.13	FCIP only, no iSCSI support for TrueCopy.

(2) Remote Copy Configuration Pattern

(2)-1 Switch Connection



(2)-2 Extender/DWDM Direct Connection



(2)-3 Extender/DWDM Switch Connection

